		-	T		055	00051101051555
S164	9	handshak\$3 same eof .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2005/10/07 15:20
S165	0	kernal\$2 near2 image\$2 near5 load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:35
S166	60	kernel\$2 near2 image\$2 near5 load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:35
S167	0	S166 and (efi or firmware interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:36
S168	18	S166 and (efi or firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:41
S169	317	(efi and firmware\$2) or (extensible firmware interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 18:34
S170	234	S169 and (network or rs232 or rs-232 or ethernet or lan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:49
S171	122	S170 and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:53

S172	46	S171 and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 17:53
S173	211	management processing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/04/04 18:09
S174	22	S173 same (flash or non-volatile or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/04/04 18:09
S177	39	S169 and upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 18:18
S178	5	S169 and upgrad\$3 same messag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:43
S179	46	command line with boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 18:50
S180	64	firmware with upgrad\$3 with messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 18:50
S181	4722	(updat\$3 or upgrad\$3) with firmware\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 18:58

S182	1746	S181 and image\$2	US-PGPUB; USPAT;	ADJ	ON	2006/04/04 19:03
			USOCR; EPO; JPO; DERWENT ; IBM_TDB			
S183	1279	S182 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:01
S184	861	S183 and controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:01
S185	668	S184 and (non-volatile or nonvolatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:02
S186	591	S184 and (non-volatile or nonvolatile or flash) same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:02
S187	177	S184 and (non-volatile or nonvolatile or flash) same stor\$3 same (image\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:02
S188	349	S181 and (non-volatile or nonvolatile or flash) same stor\$3 same image\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:04
S189	40	S188 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/04 19:04

S191	99	(end near4 user\$2) same (updat\$3 or upgrad\$3) near2 firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:30
S192	66	S191 and status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:28
S193	24	(end near4 user\$2) same (updat\$3 or upgrad\$3) near2 firmware same (network or connection\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:30
S194	257	extensible firmware interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:43
S195	265	efi same firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:43
S196	280	S194 or S195	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:44
S197	147	S196 and (remote or (end-user or end near2 user\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:44
S198	100	S197 and (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 13:45

4/12/2006 3:50:47 PM C:\Documents and Settings\bmisiura\My Documents\EAST\Workspaces\10743610.wsp Page 21

S199	2	("20030093589").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/04/11 15:43
			DERWENT ; IBM_TDB			
S200	771	((updat\$3 or upgrad\$3) near3 firmware) same flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 15:48
S201	1447	execut\$3 firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 15:50
S202	318	S201 same (status or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 15:52
S203	73	S201 same (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ .	ON	2006/04/11 15:53
S204	17	S201 with (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:02
S205	185	(end-user\$2 or end user\$2) and (updat\$3 or upgrad\$3) firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:04
S206	31	(end-user\$2 or end user\$2) same (updat\$3 or upgrad\$3) firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:10

S207	1286	firmware and (image\$2 with flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:10
S208	656	firmware and (image\$2 with flash with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:14
S209	218	firmware same (image\$2 with flash with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:18
S210	340	firmware hub\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:27
S211	298	S210 and (network or ethernet or modem or port or 10/100 or rs-232)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 16:23
S212	159	S210 same (network or ethernet or modem or port or 10/100 or rs-232)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON .	2006/04/11 17:09
S213	187	firmware with network connection\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:19
S214	3377	firmware same message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:22

S215	253	((updat\$3 or upgrad\$3) with firmware) and body and header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:25
S216	161	S215 and flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:24
S217	56	((updat\$3 or upgrad\$3) with firmware) and (body same header same (message\$2 or frame\$2 or packet\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:14
S218	7	S210 and (ack or acknowldedg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 17:32
S219	302	(firmware or bios) with (updat\$3 or upgrad\$3) and image file\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:18
S221	238	management processing system\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:18
S222	29	S221 and (bios or firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:35
S223	524	image file with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:35

S224	13	S223 and (i/o or io or input/ouput) controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:45
S225	24	firmware near2 upgrade near4 message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:56
S226		control message\$2 and (data transfer message\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 18:56
S227	15	S226 and (firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:06
S228	11	((updat\$3 or updat\$3) near4 firmware) same (configuration or image) file\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:07
S229	165	((updat\$3 or updat\$3) near4 firmware) and configuration file\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:08
S230	13	S229 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:08
S231	503	((updat\$3 or upgrad\$3) near2 firmware).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:15

S232	107	S231 and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:15
S233	37	external management application\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/11 19:32
S234	9	firmware hub same (ethernet or remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 08:57
S235	45	firmware (upgrade or update) same image same (host or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 09:47
S236	1106	stor\$3 near2 firmware with flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 09:50
S237	164	S236 with (network connection\$2 or execut\$3 or remote-user\$2 or remote user\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 09:52
S238	6	S236 with execut\$2 with (status or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 09:56
S239	493	firmware same status information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 10:22

S240	1284	firmware same (ethernet or network connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 10:23
S241	1731	(firmware or bios) same (ethernet or network connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 10:24
S242	121	(firmware or bios) same (ethernet or network connection) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/04/12 10:24